

INVITATION FOR BID

Rory Respicio
RORY J. RESPICIO
General Manager

ISSUING OFFICE:
PORT AUTHORITY OF GUAM
Government of Guam
1026 Cabras Highway, Ste. 201,
Piti, Guam 96915

DATE ISSUED: March 7, 2024

INVITATION FOR BID No.: IFB/PAG-007-24

BID FOR: **PORT AUTHORITY OF GUAM TIRES AND BATTERIES BID**

SPECIFICATIONS: **SEE ATTACHED**

DESTINATION: **PORT AUTHORITY OF GUAM**

REQUIRED DELIVERY DATE, 45 Days Upon Receipt of Purchase Order. Delivery schedule time and quantity will be coordinated between the successful bidder and the requesting department on an as-needed basis. For a period of One (1) year on an as-needed basis upon the availability of funds with an option to extend for 90 days. **THIS IS AN INDEFINITE QUANTITY BID.**

INSTRUCTION TO BIDDERS:

INDICATE WHETHER: INDIVIDUAL PARTNERSHIP CORPORATION LLC "P"

INCORPORATED IN: Guam U.S.A.

THIS BID SHALL BE SUBMITTED in duplicate with one (1) electronic copy and sealed to the issuing office above before or until Tuesday, March 26, 2024, at 10:00 a.m., Chamorro Standard Time (Guam Time) and shall be publicly opened. Any Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions, and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided unless otherwise specified by the bidder. In consideration of the expense of the Government in the opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remains firm and irrevocable within **90** calendar days from the date of opening to supply any or all the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:

BMI Automotive, LLC.
dba: NAPA Auto Parts

1790 Army Drive, Suite 101

Dededo, Guam 96929

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS BID:

Travis Benavente
Travis Benavente, Battery Specialist

AWARD: CONTRACT NO.: IFB/PAG-007-24 AMOUNT: \$ 21,474.46 DATE: 04/30/2024

ITEM NO(S). AWARDED: 17.1 - 24.1

NAME AND ADDRESS OF CONTRACTOR:

BMI Automotive, LLC. dba: NAPA Auto Parts

1790 Army Drive, Suite 101 Dededo, Guam 96929

CONTRACTING OFFICER:

Rory Respicio
RORY J. RESPICIO
General Manager

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS CONTRACT:

Name: TRAVIS BENAVENTE
BATTERY SPECIALIST
Title: SPECIALIST Date: 5/7/2024

IFB-PAG-007-24 Port Authority of Guam Tires and Batteries Bid

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
----------	-------------	------	-----	------------	-----------------

1.1 18.5 X 8.50-8 TIRE 8 EA \$ _____ \$ NO BID

SPECIFICATIONS:
 GOLF CART
 6 PLY Rating (REF: NANCO N699) or equal
 Match OEM Tires: Low profile for clearance on Golf Carts, Summer Type Tires, Bias Construction

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

2.1 205/70 R16 TIRE 4 EA \$ _____ \$ NO BID

SPECIFICATIONS:
 2009 SUV-JEEP PATRIOT
 CHEVROLET COLORADO

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

3.1 215/55 R16 TIRE 8 EA \$ _____ \$ NO BID

SPECIFICATIONS:
 FORD TRANSIT CARGO VAN (2),
 MAZDA 3-4DOOR SEDAN

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

4.1 225/70 R15 TUBELESS TIRE 10 EA \$ _____ \$ NO BID

SPECIFICATIONS:
 FORD RANGER/FORD UTILITY PICK-UP
 TOYOTA TACOMA / DODGE DAKOTA
 Highway All Season, Black Sidewalls, Load Index 100, Speed Rating S

BIDDING ON/REMARKS:

Bidding on:
 Model: _____
 Manufacturer: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
5.1	245/55R18 TUBELESS TIRE, ALL-SEASON	4	EA	\$ _____	\$ NO BID
	SPECIFICATIONS: FORD EXPLORER WAGON				<u>BIDDING ON/REMARKS:</u> _____ _____
	Bidding on: Manufacturer: _____ Model: _____ Year: _____ Place of Origin: _____ Date of Delivery: _____				_____
6.1	LT245/75 R16 TUBELESS TIRE	8	EA	\$ _____	\$ NO BID
	SPECIFICATIONS: FORD VAN/ CHEVY PICKUP TOYOTA TACOMA/PRE-RUNNER FORD 250 PICK-UP TRUCK				<u>BIDDING ON/REMARKS:</u> _____ _____
	Bidding on: Manufacturer: _____ Model: _____ Year: _____ Place of Origin: _____ Date of Delivery: _____				_____
7.1	245/75R17 TIRE, ALL-TERRAIN	6	EA	\$ _____	\$ NO BID
	SPECIFICATIONS: FORD 650 DUALY / DODGE 2500 TRUCK FORD F350 / FORD F150				<u>BIDDING ON/REMARKS:</u> _____ _____
	Bidding on: Manufacturer: _____ Model: _____ Year: _____ Place of Origin: _____ Date of Delivery: _____				_____
8.1	700 x 12 - 12 PLY TUBE TYPE TIRE, NON-DIRECTIONAL	8	EA	\$ _____	\$ NO BID
	SPECIFICATIONS: 2008 HYSTER FORKLIFT 5 TON (REAR)				<u>BIDDING ON/REMARKS:</u> _____ _____
	Bidding on: Manufacturer: _____ Model: _____ Year: _____ Place of Origin: _____ Date of Delivery: _____				_____

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
----------	-------------	------	-----	------------	-----------------

9.1	7.50 X 15 - 12 PLY TUBE TYPE TIRE, NON-DIRECTIONAL	8	EA	\$ _____	\$ NO BID
-----	--	---	----	----------	-----------

SPECIFICATIONS:
2008 HYSTER FORKLIFT 5 TON (FRONT)

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

10.1	7.50 X 16 - 12 PLY TUBE TYPE TIRE, NON-DIRECTIONAL	8	EA	\$ _____	\$ NO BID
------	--	---	----	----------	-----------

SPECIFICATIONS:
2016 DOOSAN FORKLIFT 5 TON (FRONT)

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

11.1	11.00 X 22.5R - 16 PLY TIRE	20	EA	\$ _____	\$ NO BID
------	-----------------------------	----	----	----------	-----------

SPECIFICATIONS:
2010/2016 OTTAWA YARD TRACTORS
Pneumatic, 16-Ply, Load Rating G,
All Positions (Steer/Drive),
Drive Position Commercial Radial

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

12.1	18.00R25- 40-PLY TIRE	8	EA	\$ _____	\$ NO BID
------	-----------------------	---	----	----------	-----------

SPECIFICATIONS:
TOP LIFTERS
Pneumatic, 40-PLY Rating, For All Position
TRIANGLE TSMS L5(Steer/Drive), Non Directional;
Tubeless (REF: IND-4) or equal

BIDDING ON/REMARKS:

Bidding on:
 Manufacturer: _____
 Model: _____
 Year: _____
 Place of Origin: _____
 Date of Delivery: _____

13.1 VALVE STEMS

RUBBER	\$ _____	\$ <u>NO BID</u>
INDUSTRIAL	\$ _____	\$ _____
LT/PASSENGER VEHICLES	\$ _____	\$ _____
INDUSTRIAL VEHICLES	\$ _____	\$ _____

14.1 MOUNTING/DEMOUNTING, BALANCING & ALIGNMENT

	\$ _____	\$ <u>NO BID</u>
LT/PASSENGER VEHICLES	\$ _____	\$ _____
INDUSTRIAL VEHICLES	\$ _____	\$ _____

15.1 DISPOSAL FEE

		<u>NO BID</u>
LT/PASSENGER VEHICLES	\$ _____	\$ _____
INDUSTRIAL VEHICLES	\$ _____	\$ _____

16.1 WARRANTY: MANUFACTURE RECOMMENDED WARRANTY:

Under normal utilization, any defects in workmanship within 90 days of installation, Bidder will replace defective tire with the same size tire at no cost (including disposal of defective tire) i.e. uneven wear, bulging on tread or side wall.

[] Yes, offer as requested. _____ NO BID

[] No, offer the following: _____

17.1 D31T YELLOW TOP OPTIMA	12	EA	\$ <u>448.81</u>	\$ <u>5,385.72</u>
SPECIFICATIONS:				
KALMAR OTTAWA T-2 TRACTORS				
Weight: 59.8 LB				
Height: 9.38 IN				
Length: 12.81 IN				
Width: 6.56 IN				
C20 Capacity: 75AH				
Starting Power: 900 CCA				
Reserve Capacity @ 25 AMPS: 155 Minutes				
Terminal Type: Threaded Post – Type T12 V				
Offer: Optima Battery - NAPA Part #: N9931TYEL				
Comply with all specs				

18.1 D27F YELLOW TOP OPTIMA	10	EA	\$ <u>369.49</u>	\$ <u>3,694.90</u>
SPECIFICATIONS:				
FORK LIFTS 20/10 TON;				
JOHN DEERE BACKHOE; DUMP TRUCK				
Weight: 53.2 LB				
Height: 8.61 IN				
Length: 12.81 IN				
Width: 6.56 IN				
C20 Capacity: 66 AH				
Starting Power: 830 CCA				
Reserve Capacity @ 25 AMPS: 140 Minutes				
Terminal Type: SAE – Type A				
Offer: Optima Battery - NAPA Part #: N99D27FYEL				
Exception to specs: Weight 56.5 LB				

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
19.1	D31M BLUE TOP OPTIMA SPECIFICATIONS: WATERCRAFT/BOATS Weight:59.8 LB Height: 9.38 IN Length: 12.81 IN Width: 6.56 IN C20 Capacity: 75 AH Starting Power: 900 CCA Reserve Capacity @ 25 AMPS: 155 Minutes Terminal Type: Type M	4	EA	\$ 439.12	\$ 1,756.48
					Offer: Optima Battery - NAPA Part #: N99D31MBLUE Comply with all specs
20.1	35 RED TOP OPTIMA SPECIFICATIONS: ACCENT/TOYOTA/FORD/CHEVY MAZDA/KIA PASSENGER VEHICLES Weight: 31.7 LB Height: 7.69 IN Length: 9.38 IN Width: 6.75 IN C20 Capacity: 44 AH Starting Power: 720 CCA Reserve Capacity @ 25 AMPS: 90 Minutes Terminal Type: SAE – Type A	10	EA	\$ 291.10	\$ 2,911.00
					Offer: Optima Battery - NAPA Part #: N9935RED Comply with all specs
21.1	34/78 RED TOP OPTIMA SPECIFICATIONS: FORD/CHEVY TRUCKS Weight: 38.8 LB Height: 7.88 IN Length: 10.06 IN Width: 6.94 IN C20 Capacity: 50 AH Starting Power: 800 CCA Reserve Capacity @ 25 AMPS: 100 Minutes Terminal Type: A/S (Duel)	16	EA	\$ 309.51	\$ 4,952.16
					Offer: Optima Battery - NAPA Part #: N993478RED Exception to specs: Weight: 41 LB.
22.1	GROUP 8D BATTERY 12V Minimum 1200 CCA Terminal Type: Auto Post (SAE)	4	EA	\$ 281.62	\$ 1,126.48
					Offer: NAPA Battery Part #: 7271FT Minimum CCA1425
23.1	GROUP 4D BATTERY 12V Minimum 950 CCA Terminal Type: Auto Post (SAE)	4	EA	\$ 236.60	\$ 946.40
					Offer: NAPA Battery Part #: 7266 Minimum CCA 1050
24.1	8 V BATTERY For: Electrical Golf Cart AMP Hour: 165 AH Battery Terminal Type: STUD; Battery Type: Deep Cycle Height: 11.125 in; Length: 10.25 in; Voltage: 8V Weight: 68 lbs; Wet or Dry: Wet; Width: 7.125 in.	4	EA	\$ 175.33	\$ 701.32
					Offer: NAPA Battery Part #: 8148 Comply with all specs

NOTES:

- Tires to fit E.T.R.T.O. and T.R.A. Rims for Item Nos. 8.1; 9.1; 10.1; 11.1; 12.1; 13.1 NO BID
- Tires must have DOT Tire Identification number for Item Nos. 2.1; 3.1; 4.1; 5.1; 6.1; 7.1 NO BID
- Batteries are all Gel Type, 12V, maintenance-free for item nos. 18.1; 19.1; 20.1; 21.1; 22.1; COMPLY

- Batteries are all lead-acid type, we-charged, 12VDC/8V, Maintenance-free for item nos. 23.1; 24.1

COMPLY

➤ DEFINITIONS:

- E.T.R.T.O: European Tyre and Technical Organization
- T.R.A: Tire and Rim Association
- OEM: Original Equipment Manufacturer
- SUV: Sport Utilities Vehicle
- LT: Light Truck
- ST: Special Trailer
- CCA: Cold Cranking Amps
- SAE: Society of Automotive Engineers
- AMP: Ampere
- V: Volts
- Ah: Amp-Hours

These specifications were developed by the staff of the Fleet Maintenance Division of the Port Authority of Guam Evelyn G. Pangelinan, Maintenance Planner-Equipment, Geraldo E. Tajalle, Supply Technician I, John Leon Guerrero, Fleet Supervisor, Shine A. San Agustin, Equipment Superintendent (Acting), Glenn B. Nelson, Maintenance Manager (Acting), Reviewed by Annie LG. Sablan, Procurement/Supply Manager (Acting), and approved by Rory J. Respicio, General Manager.

BMI Automotive, LLC.
dba: NAPA Auto Parts

TOTAL BID PRICE: \$21,474.46

COMPLY