

INVITATION FOR BID


RORY J. RESPICIO
General Manager

ISSUING OFFICE:
PORT AUTHORITY OF GUAM
Government of Guam
1026 Cabras Highway, Ste. 201,
Piti, Guam 96915

DATE ISSUED: March 7, 2024

INVITATION FOR BID No.: IFB/PAG-007-24

BID FOR: **PORT AUTHORITY OF GUAM TIRES AND BATTERIES BID**

SPECIFICATIONS: **SEE ATTACHED**

DESTINATION: **PORT AUTHORITY OF GUAM**

REQUIRED DELIVERY DATE: 45 Days Upon Receipt of Purchase Order. Delivery schedule time and quantity will be coordinated between the successful bidder and the requesting department on an as-needed basis. For a period of One (1) year on an as-needed basis upon the availability of funds with an option to extend for 90 days. **THIS IS AN INDEFINITE QUANTITY BID.**

INSTRUCTION TO BIDDERS:


INDICATE WHETHER: INDIVIDUAL PARTNERSHIP CORPORATION

INCORPORATED IN: 1996

THIS BID SHALL BE SUBMITTED in duplicate with one (1) electronic copy and sealed to the issuing office above before or until Tuesday, March 26, 2024, at 10:00 a.m., Chamorro Standard Time (Guam Time) and shall be publicly opened. Any Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions, and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided unless otherwise specified by the bidder. In consideration of the expense of the Government in the opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remains firm and irrevocable within 90 calendar days from the date of opening to supply any or all the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:
Triple J Express Tire & Lube, Inc.
dba Triple J Commercial Tire Center
PO Box 6066
Tamuning, Guam 96931

SIGNATURE AND TITLE OF PERSON AUTHORIZED TO SIGN THIS BID:

Jeffrey B. Jones
President

AWARD: CONTRACT NO.: IFB/PAG-007-024 **AMOUNT:** \$31,534.00 **DATE:** 04/30/2024

ITEM NO(S). AWARDED: 1.1-4.1, 6.1-12.1 and 14.1-16.1

NAME AND ADDRESS OF CONTRACTOR:
Triple J Express Tire & Lube, Inc. dba
Triple J Commercial Tire Center
PO Box 6066
Tamuning, Guam 96931

CONTRACTING OFFICER:

RORY J. RESPICIO
General Manager

SIGNATURE AND TITLE OF PERSON AUTHORIZED TO SIGN THIS CONTRACT:
Name: 

Title: GENERAL MANAGER Date: 5/7/24

IFB-PAG-007-24 Port Authority of Guam Tires and Batteries Bid

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
1.1	18.5 X 8.50-8 TIRE	8	EA	\$ 77.00	\$ 616.00
	SPECIFICATIONS: GOLF CART 6 PLY Rating (REF: NANCO N699) or equal Match OEM Tires: Low profile for clearance on Golf Carts, Summer Type Tires, Bias Construction		BIDDING ON/REMARKS: COMPLY		
	Bidding on: Manufacturer: DURO Model: HF273 6PLY Year: 2024 Place of Origin: TAIWAN Date of Delivery: 45 DAYS				
2.1	205/70 R16 TIRE	4	EA	\$ 181.00	\$ 724.00
	SPECIFICATIONS: 2009 SUV-JEEP PATRIOT CHEVROLET COLORADO		BIDDING ON/REMARKS: COMPLY		
	Bidding on: Manufacturer: KUMHO Model: SOLUS TA51 Year: 2024 Place of Origin: KOREA Date of Delivery: 45DAYS				
3.1	215/55 R16 TIRE	8	EA	\$ 45.00	\$ 360.00
	SPECIFICATIONS: FORD TRANSIT CARGO VAN (2), MAZDA 3-4DOOR SEDAN		BIDDING ON/REMARKS: COMPLY		
	Bidding on: Manufacturer: OMNI Model: RPX800 Year: 2024 Place of Origin: CHINA Date of Delivery: 45 DAYS				
4.1	225/70 R15 TUBELESS TIRE	10	EA	\$ 56.00	\$ 560.00
	SPECIFICATIONS: FORD RANGER/FORD UTILITY PICK-UP TOYOTA TACOMA / DODGE DAKOTA Highway All Season, Black Sidewalls, Load Index 100, Speed Rating S		BIDDING ON/REMARKS: COMPLY		
	Bidding on: Model: TE301 Manufacturer: TRIANGLE Year: 2024 Place of Origin: CHINA Date of Delivery: 45 DAYS				

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
5.1	245/55R18 TUBELESS TIRE, ALL-SEASON	4	EA	\$ NO BID	\$ _____
	SPECIFICATIONS: FORD EXPLORER WAGON			BIDDING ON/REMARKS: _____	
	Bidding on: Manufacturer: _____ Model: _____ Year: _____ Place of Origin: _____ Date of Delivery: _____				
6.1	LT245/75 R16 TUBELESS TIRE	8	EA	\$ 90.00	\$ 720.00
	SPECIFICATIONS: FORD VAN/ CHEVY PICKUP TOYOTA TACOMA/PRE-RUNNER FORD 250 PICK-UP TRUCK			BIDDING ON/REMARKS: COMPLY	
	Bidding on: Manufacturer: OMNI Model: RENEGADE AT5 10PLY Year: 2024 Place of Origin: CHINA Date of Delivery: 45 DAYS				
7.1	245/75R17 TIRE, ALL-TERRAIN	6	EA	\$ 95.00	\$ 570.00
	SPECIFICATIONS: FORD 650 DUALY / DODGE 2500 TRUCK FORD F350 / FORD F150			BIDDING ON/REMARKS: COMPLY	
	Bidding on: Manufacturer: OMNI Model: RENEGADE AT5 10PLY Year: 2024 Place of Origin: CHINA Date of Delivery: 45 DAYS				
8.1	700 x 12 – 12 PLY TUBE TYPE TIRE, NON-DIRECTIONAL	8	EA	\$ 220.00	\$ 880.00
	SPECIFICATIONS: 2008 HYSTER FORKLIFT 5 TON (REAR)			BIDDING ON/REMARKS: COMPLY	
	Bidding on: Manufacturer: EBT Model: TUFF DAWG 12PLY TT Year: 2024 Place of Origin: SRI LANKA Date of Delivery: 45 DAYS				

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
9.1	7.50 X 15 - 12 PLY TUBE TYPE TIRE, NON-DIRECTIONAL	8	EA	\$ 325.00	\$ 2,600.00

SPECIFICATIONS:
2008 HYSTER FORKLIFT 5 TON (FRONT)

BIDDING ON/REMARKS:

COMPLY

Bidding on:
Manufacturer: EBT
Model: TUFF DAWG 14 PLY TT
Year: 2024
Place of Origin: SRI LANKA
Date of Delivery: 45 DAYS

10.1	7.50 X 16 - 12 PLY TUBE TYPE TIRE, NON-DIRECTIONAL	8	EA	\$ 360.00	\$ 2,880.00
------	--	---	----	-----------	-------------

SPECIFICATIONS:
2016 DOOSAN FORKLIFT 5 TON (FRONT)

BIDDING ON/REMARKS:

COMPLY

Bidding on:
Manufacturer: EBT
Model: TUFF DAWG 12PLY
Year: 2024
Place of Origin: SRI LANKA
Date of Delivery: 45 DAYS

11.1	11.00 X 22.5R - 16 PLY TIRE	20	EA	\$ 220.00	\$ 4,400.00
------	-----------------------------	----	----	-----------	-------------

SPECIFICATIONS:
2010/2016 OTTAWA YARD TRACTORS
Pneumatic, 16-Ply, Load Rating G,
All Positions (Steer/Drive),
Drive Position Commercial Radial

BIDDING ON/REMARKS:

TR696A- STEER/ FRONT TIRE

TR657- DRIVE/ REAR TIRE

Bidding on:
Manufacturer: TRIANGLE
Model: TR696A/ TR657 16PLY
Year: 2024
Place of Origin: CHINA
Date of Delivery: 45 DAYS

12.1	18.00R25- 40-PLY TIRE	8	EA	\$ 2,043.00	\$ 16,344.00
------	-----------------------	---	----	-------------	--------------

SPECIFICATIONS:
TOP LIFTERS
Pneumatic, 40-PLY Rating, For All Position
TRIANGLE TSMS L5(Steer/Drive), Non Directional;
Tubeless (REF: IND-4) or equal

BIDDING ON/REMARKS:

Bidding on:
Manufacturer: TRIANGLE
Model: TL558S E4 3 STAR RATED (UP TO 40PLY)
Year: 2024
Place of Origin: CHINA
Date of Delivery: 45 DAYS

13.1 VALVE STEMS

RUBBER	\$ 0.00	\$ _____
INDUSTRIAL	\$ 0.00	\$ _____
LT/PASSENGER VEHICLES	\$ 0.00	\$ _____
INDUSTRIAL VEHICLES	\$ 0.00	\$ _____

14.1 MOUNTING/DEMOUNTING, BALANCING & ALIGNMENT

(NO ALIGNMENT AVAILABLE)		
LT/PASSENGER VEHICLES	\$ 8.00	\$ _____
(MOUNTING AND BALANCING ONLY)		
INDUSTRIAL VEHICLES	\$ 22.00- 62.00	\$ _____

15.1 DISPOSAL FEE

LT/PASSENGER VEHICLES	\$ 9.00	\$ _____
INDUSTRIAL VEHICLES (BASED ON WEIGHT)	\$ 0.55 LB	\$ _____

16.1 WARRANTY: MANUFACTURE RECOMMENDED WARRANTY:

Under normal utilization, any defects in workmanship within 90 days of installation, Bidder will replace defective tire with the same size tire at no cost (including disposal of defective tire) i.e. uneven wear, bulging on tread or side wall.

Yes, offer as requested. _____

No, offer the following: _____

17.1 D31T YELLOW TOP OPTIMA 12 EA \$ NO BID \$ _____

SPECIFICATIONS:
KALMAR OTTAWA T-2 TRACTORS
Weight: 59.8 LB
Height: 9.38 IN
Length: 12.81 IN
Width: 6.56 IN
C20 Capacity: 75AH
Starting Power: 900 CCA
Reserve Capacity @ 25 AMPS: 155 Minutes
Terminal Type: Threaded Post – Type T12 V

18.1 D27F YELLOW TOP OPTIMA 10 EA \$ NO BID \$ _____

SPECIFICATIONS:
FORK LIFTS 20/10 TON;
JOHN DEERE BACKHOE; DUMP TRUCK
Weight: 53.2 LB
Height: 8.61 IN
Length: 12.81 IN
Width: 6.56 IN
C20 Capacity: 66 AH
Starting Power: 830 CCA
Reserve Capacity @ 25 AMPS: 140 Minutes
Terminal Type: SAE – Type A

Item No.	Description	QTY.	UOM	Unit Price	Price Extension
19.1	D31M BLUE TOP OPTIMA SPECIFICATIONS: WATERCRAFT/BOATS Weight: 59.8 LB Height: 9.38 IN Length: 12.81 IN Width: 6.56 IN C20 Capacity: 75 AH Starting Power: 900 CCA Reserve Capacity @ 25 AMPS: 155 Minutes Terminal Type: Type M	4	EA	\$ NO BID	\$ _____
20.1	35 RED TOP OPTIMA SPECIFICATIONS: ACCENT/TOYOTA/FORD/CHEVY MAZDA/KIA PASSENGER VEHICLES Weight: 31.7 LB Height: 7.69 IN Length: 9.38 IN Width: 6.75 IN C20 Capacity: 44 AH Starting Power: 720 CCA Reserve Capacity @ 25 AMPS: 90 Minutes Terminal Type: SAE – Type A	10	EA	\$ NO BID	\$ _____
21.1	34/78 RED TOP OPTIMA SPECIFICATIONS: FORD/CHEVY TRUCKS Weight: 38.8 LB Height: 7.88 IN Length: 10.06 IN Width: 6.94 IN C20 Capacity: 50 AH Starting Power: 800 CCA Reserve Capacity @ 25 AMPS: 100 Minutes Terminal Type: A/S (Duel)	16	EA	\$ NO BID	\$ _____
22.1	GROUP 8D BATTERY 12V Minimum 1200 CCA Terminal Type: Auto Post (SAE)	4	EA	\$ NO BID	\$ _____
23.1	GROUP 4D BATTERY 12V Minimum 950 CCA Terminal Type: Auto Post (SAE)	4	EA	\$ NO BID	\$ _____
24.1	8 V BATTERY For: Electrical Golf Cart AMP Hour: 165 AH Battery Terminal Type: STUD; Battery Type: Deep Cycle Height: 11.125 in; Length: 10.25 in; Voltage: 8V Weight: 68 lbs; Wet or Dry: Wet; Width: 7.125 in.	4	EA	\$ NO BID	\$ _____

NOTES:

- Tires to fit E.T.R.T.O. and T.R.A. Rims for Item Nos. 8.1; 9.1; 10.1; 11.1; 12.1; 13.1
- Tires must have DOT Tire Identification number for Item Nos. 2.1; 3.1; 4.1; 5.1; 6.1; 7.1
- Batteries are all Gel Type, 12V, maintenance-free for Item nos. 18.1; 19.1; 20.1; 21.1; 22.1;

- Batteries are all lead-acid type, we-charged, 12VDC/8V, Maintenance-free for Item nos. 23.1; 24.1

➤ **DEFINITIONS:**

- **E.T.R.T.O:** European Tyre and Technical Organization
- **T.R.A:** Tire and Rim Association
- **OEM:** Original Equipment Manufacturer
- **SUV:** Sport Utilities Vehicle
- **LT:** Light Truck
- **ST:** Special Trailer
- **CCA:** Cold Cranking Amps
- **SAE:** Society of Automotive Engineers
- **AMP:** Ampere
- **V:** Volts
- **Ah:** Amp-Hours

These specifications were developed by the staff of the Fleet Maintenance Division of the Port Authority of Guam Evelyn G. Pangelinan, Maintenance Planner-Equipment, Geraldo E. Tajalle, Supply Technician I, John Leon Guerrero, Fleet Supervisor, Shine A. San Agustin, Equipment Superintendent (Acting), Glenn B. Nelson, Maintenance Manager (Acting), Reviewed by Annie LG. Sablan, Procurement/Supply Manager (Acting), and approved by Rory J. Respicio, General Manager.